

Amber™ Air S | 500

Air-Threading Coverlock Machine

Serging Up Your Style

FEATURES AND BENEFITS




ONE-TOUCH ELECTRONIC AIR-THREADING LOOPERS

With the HUSQVARNA® VIKING® AMBER™ AIR S | 500 one-touch electronic air-threading feature, you can effortlessly thread the machine loopers with the simple push of a button.



STITCH SELECTION DIAL

Choose your stitch with an easy turn of a dial. The dial corresponds to the built-in stitch chart, for quick and easy reference. The optimum thread tension for your selected stitch is set automatically and can be adjusted using the Thread Tension Fine Tuning Levers to accommodate thread weight, fabric thickness or technique.



PRECISE THREAD CONTROL

Easily fine-tune the amount of overedge thread so stitches always form neatly along the fabric edge for optimal results.


FREE ARM

For sewing smaller projects like hems and children's clothing, the free arm helps you by providing easy access to these types of hard-to-reach areas.



23 STITCHES

The 5/4/3/2 thread stitch capability provides 23 different stitch options for a wide range of stitch techniques.




COVERSTITCH

Triple coverstitch and double coverstitch narrow and wide for activewear, hems and decorative applications.



3-THREAD FLATLOCK

(WIDE AND NARROW)
Flat seams and decorative embellishment.




CHAINSTITCH

Seams, basting and decorative applications.



3-THREAD STRETCH OVERLOCK

Seams on super-stretch fabrics.




5-THREAD SAFETY STITCH

(WIDE AND NARROW)
A chainstitch and 3-thread overedge for durable, professional seams.



2-THREAD OVERLOCK

(WIDE AND NARROW)
Overcasting for single layer of fabric.




4-THREAD SAFETY STITCH

(WIDE AND NARROW)
A chainstitch and 2-thread narrow or wide overedge for durable seams.



2-THREAD WRAPPED EDGE OVERLOCK

(WIDE AND NARROW)
Edge finish for lightweight fabrics.



4-THREAD OVERLOCK

Seams and seam finishing.



2-THREAD ROLLED EDGE

Edging on lightweight fabrics.



3-THREAD OVERLOCK

(WIDE AND NARROW)
Seam finishing and decorative edges.



2-THREAD NARROW EDGE

Fine, narrow hems and edging.



3-THREAD NARROW EDGE

Fine, narrow hems and edging.



2-THREAD FLATLOCK

Flat seams and decorative embellishment.



3-THREAD ROLLED EDGE

Rolled hems and edges.

EXCEPTIONAL LIGHTING

Five LED lights provide exceptional illumination of the sewing area for optimal visibility.

EXTENSION TABLE INCLUDED

Large, level work surface provides 12" (30cm) of additional space.

SPACIOUS SEWING AREA

The area to the right of the needle is 64mm high and 123mm wide, providing ample room when sewing larger projects.

REINFORCED FRAME

A reinforced frame makes the HUSQVARNA VIKING AMBER AIR S | 500 coverlock machine stable for sewing fabrics from light to heavyweight.

ELECTRONIC PIERCING POWER

Stitch-by-stitch control with full piercing power at all speeds.

KNEE LIFT

Hands-free presser foot lift for ease and control.

EASY ROLLED HEMS

Sew 2 or 3-thread rolled hems without changing presser foot or stitch plate.

BUILT-IN TWEEZER AND SCISSORS HOLDER

Your tweezers and scissors each have their special spot with built-in holders on the thread guide.

BUILT-IN 2-THREAD CONVERTER

Fast and easy conversion to 2-thread sewing mode.

DIFFERENTIAL FEED

Helps eliminate distortion for flat seams.

STITCH SAFETY LOCK

Machine will not sew if front cover is open or if presser foot is raised.

TENSION RELEASE

Tensions release when presser foot is raised for easy thread changing.

ADJUSTABLE PRESSER FOOT PRESSURE

Ensures smooth fabric feed for wide range of fabric thicknesses.

EXTRA PRESSER FOOT HEIGHT

Easily accommodates thicker layers and heavyweight fabrics.

THREADING GUIDES FOR WIDE RANGE OF THREAD TYPES


Thread guides accommodate standard overlock thread or heavier decorative threads with ease.

SOFT GRIP HANDWHEEL

The soft grip handwheel provides optimal comfort and control.

ADJUSTABLE STITCH LENGTH

Set stitch length for various fabrics and techniques.



ADJUSTABLE CUTTING WIDTH

Sew neat edges on a wide range of fabric types.

MOVABLE UPPER CUTTER

The upper cutter can be moved out of cutting position for cover stitch sewing, as well as specialty stitch techniques.

INTEGRATED THREAD CUTTER

Conveniently located on your overlock machine to quickly trim your thread chain.

SNAP-ON PRESSER FEET

Change presser feet with the simple push of a button.

UNIVERSAL STANDARD PRESSER FOOT

The Universal Standard Presser Foot that is included with the HUSQVARNA VIKING AMBER AIR S500 Air coverlock machine can be used with all of the machine's stitches.

CARRY HANDLE

For convenience when transporting your coverlock machine.

WASTE TRAY

Attachable waste tray to catch fabric trimmings.

ACCESSORIES INCLUDED

Spool holders, spool caps, thread nets, tweezer, needle threader, allen key, screw driver, lint brush, sewing machine oil, knife blade for upper cutter, coverstitch table, knee lifter, accessory storage box, threading wire, foot control, waste tray, soft dust cover, pack of needles, pivot pin for circular stitching, extension table.

OPTIONAL ACCESSORIES AVAILABLE

Choose from a wide variety of optional accessories for creative possibilities: Corded Wavy Edge Foot, Elastic Foot, Blind Hem and Lace Foot, Piping Foot, Beading Foot, Gathering Foot, Taping Foot, Coverstitch Binder, Coverstitch Hemmer, Overlock Feet Kit (Gathering, Elastic, Blind Hem, Piping, Taping) Coverstitch Feet Kit (Clear Coverstitch, flat Trim, Join and Fold Edging, Strap and belt Loop, Piping with Cording Guide).



husqvarnaviking.com